



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/599,832	10/11/2006	Takaharu Tanaka	P30819	5260
52123 7590 08/19/2009 GREENBLUM & BERNSTEIN, P.L.C. 1950 ROLAND CLARKE PLACE RESTON, VA 20191			EXAMINER HOANG, PHI	
			ART UNIT 2628	PAPER NUMBER
			NOTIFICATION DATE 08/19/2009	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

gbpatent@gbpatent.com
pto@gbpatent.com

Office Action Summary	Application No. 10/599,832	Applicant(s) TANAKA ET AL.	
	Examiner PHI HOANG	Art Unit 2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 July 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 13-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 13-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 06 July 2009 has been entered.

Response to Arguments

2. Applicant's arguments, see pages 8-15, filed 06 July 2009, with respect to the rejection(s) of claim(s) 13-26 under 35 U.S.C. 103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Yoshioka et al. in view of Candler et al.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Art Unit: 2628

4. Claims 13-26 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The claims describe the integer n to be a positive integer; however, this is not clearly described within Applicant's specification.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 13, 14, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshioka et al. (US 6,075,899) in view of Candler et al. (US 2002/0196260 A1).

7. Regarding claim 13, Yoshioka discloses an information processing device comprising: a DRAM having a burst mode which burst-transfers data of successive column addresses; (Column 8, lines 5-27)

at least one processing unit operable to issue an access request; (Column 14, lines 20-27)

and an address conversion unit operable to convert access addresses which are included in the access request issued from said at least one processing unit, (Column 3, lines 29-35)

wherein at least one of said at least one data processing unit is operable to access an $M \times N$ rectangular area, where M and N are integers, (Column 7, lines 38-43)

said address conversion unit is operable to convert access addresses so that a column address of data at a $(K+m)$ th column, where K and m are integers and $m \leq M$, of an L th line, and a column address of data at a K th column of an $(L+n)$ th line, where L and n are integers and $n \leq N$ become successive, (Column 3, lines 29-35, burst length defines how many columns are read)

and at least one area of said DRAM is a frame memory which stores image data, the rectangular area is M pixels \times N lines in the image data, and said at least one data processing unit is operable to perform one of motion compensation and motion estimation, where $n=2n'$ and n' is an integer (Column 7, lines 16-21).

Yoshioka does not clearly disclose L , n , and n' are positive integers resulting in a positive $(L+n)$ line not being read.

Candler discloses determining minimum offset parameters for skipping rows of pixels to be read with each new frame of data from a burst memory (Paragraphs 0096 and 0097).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Yoshioka to skip rows of pixels as disclosed

Art Unit: 2628

by Candler because an efficiency gain can be realized by only needing to store data that is required and requiring less control complexity and processing (Paragraph 0097).

8. Regarding claim 14, Yoshioka (Column 14, lines 17-27, processor reads from a first in, first out memory) in view of Candler discloses another data processing unit is operable to access the image data on a line basis, and to continuously read out data of all $2n$ lines.

9. Regarding claim 23, Yoshioka discloses a data access method for accessing a rectangular area made up of M pixels \times N lines in image data from a DRAM, Column 7, lines 38-43) the DRAM having a burst mode which burst-transfers data of continuous column addresses, and storing the image data (Column 8, lines 5-27), said the access method comprising:

inputting an access request for the rectangular area; (Column 14, lines 17-43)
and converting access addresses included in the access request (Column 3, lines 29-35),

the addresses are converted so that a column address of data at a $(K+m)$ th column, where K and m are integers and $m \leq M$, of the L th line, and a column address of the data at the K th column of the $(L+n)$ line, where L and n are integers and $n \leq N$, become successive, (Column 3, lines 29-35, burst length defines how many columns are read)

and at least one area of said DRAM is a frame memory which stores image data and the rectangular area is M pixels \times N lines in the image data, where M and N are

Art Unit: 2628

integers, and a data processing unit performs motion compensation and motion estimation, where $n=2n'$ and n' is an integer (Column 7, lines 16-21).

Yoshioka does not clearly disclose L , n , and n' are positive integers resulting in a positive $(L+n)$ line not being read.

Candler discloses determining minimum offset parameters for skipping rows of pixels to be read with each new frame of data from a burst memory (Paragraphs 0096 and 0097).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Yoshioka to skip rows of pixels as disclosed by Candler because an efficiency gain can be realized by only needing to store data that is required and requiring less control complexity and processing (Paragraph 0097).

10. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshioka et al. (US 6,075,899) in view of Candler et al. (US 2002/0196260 A1) and further in view of Mitsubishi (US 6,745,320 B1).

11. Regarding claim 15, Yoshioka in view of Candler discloses said at least one data processing unit is operable to decode an inputted stream on a basis of at least two macroblocks, by motion compensation, (Column 1, line 50 – column 2, line 4)

said DRAM is operable to store the image data decoded by said data processing unit, (Column 2, lines 12-20)

and said at least one data processing unit is operable to access the image data stored in said DRAM as reference data. (Column 2, line 21 column 2, line 36)

Yoshioka in view of Candler does not clearly disclose said information processing device further comprises: a memory featuring a smaller storage capacity and a faster access speed than said DRAM; a data transfer unit operable to transfer the data from said DRAM to said memory.

However, it is well known in the art that processors have small, fast memory called registers built in for quick access to data from memory (RAM) for processing. Mitsuishi discloses a general purpose processor with registers available for high speed processing (Column 12, lines 6-18).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Yoshioka in view of Candler to utilize smaller, faster memory for processing as disclosed by Mitsuishi because processing of data can be performed more quickly.

12. Claims 16-22 and 24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshioka et al. (US 6,075,899) in view of Candler et al. (US 2002/0196260 A1) in view of Mitsuishi (US 6,745,320 B1) and further in view of Callway et al. (US 6,807,311 B1).

13. Regarding claim 16, Yoshioka in view of Candler and further in view of Mitsuishi discloses all limitations discussed in claim 15.

Yoshioka (Column 14, lines 17-27, accessing data from memory) in view of Candler and further in view of Mitsuishi (Column 12, lines 6-18, transferring data to other faster memory) further disclose said data transfer unit is operable to transfer data

Art Unit: 2628

on a transfer region basis from said DRAM to said memory, based on the access request from said data processing unit.

Yoshioka in view of Candler and further in view of Mitsuishi does not disclose the image data stored in said DRAM is split into transfer regions larger in size than the rectangular area.

Callway discloses the image data stored in said DRAM is split into transfer regions larger in size than the rectangular area (Column 12, lines 42-58).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Yoshioka in view of Candler and further in view of Mitsuishi to segment regions of an image for transfer because bandwidth usage is reduced by only retrieving the regions that are necessary.

14. Regarding claim 17, Yoshioka in view of Candler and further in view of Mitsuishi discloses all limitations discussed in claim 15.

Yoshioka in view of Candler and further in view of Mitsuishi does not disclose said data transfer unit is operable to transfer a minimum area which surrounds plural rectangular areas as a transfer region as data from said DRAM to said memory, based on an access request from said at least one data processing unit.

Callway discloses said data transfer unit is operable to transfer a minimum area which surrounds plural rectangular areas as a transfer region as data from said DRAM to said memory, based on an access request from said at least one data processing unit (Column 12, lines 42-58, area is fixed).

Art Unit: 2628

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Yoshioka in view of Candler and further in view of Mitsuishi to transfer a fixed area because bandwidth usage can be reduced by using an optimal size for each transfer.

15. Regarding claim 18, Yoshioka in view of Candler in view of Mitsuishi and further in view of Callway (Column 12, lines 42-58, since the area for transfer is a fixed size the value of the fixed sized is inherently stored in a memory) discloses said data transfer unit includes a register which holds a size of the transfer region.

16. Regarding claim 19, Yoshioka (Column 14, lines 17-27, the processor accesses the image in memory once) in view of Candler in view of Mitsuishi (Column 12, lines 6-18, discloses transferring from RAM to registers) and further in view of Callway discloses said data transfer unit is operable to transfer the data from said DRAM to said memory when a predetermined number n1 of access requests are outputted from said at least one data processing unit.

17. Regarding claim 20, Yoshioka (Column 14, lines 17-27, the processor accesses the image in memory once) in view of Candler in view of Mitsuishi and further in view of Callway (Column 12, lines 42-58, since the area for transfer is a fixed size the value of the fixed sized is inherently stored in a memory) discloses said data transfer unit includes a register which holds the size of the transfer region and the predetermined number n1.

Art Unit: 2628

18. Regarding claim 21, Yoshioka in view of Candler in view of Mitsuishi and further in view of Callway (Column 12, lines 42-58, since the transfer unit is transferring all rectangular areas, there is no regard to whether it is adjacent or overlapping) discloses said data transfer unit is operable to transfer the transfer region which includes all rectangular areas, from said DRAM to said memory when access requests from said at least one data processing unit request the rectangular areas which are adjacent or overlapping.

19. Regarding claim 22, Yoshioka (Column 3, lines 53-67 and column 9, line 13 – column 14, line 7, half-pel interpolation is performed (motion vector estimation) on an image and then decoded) in view of Candler in view of Mitsuishi and further in view of Callway discloses a motion vector estimation unit operable to estimate plural motion vectors corresponding to plural macroblocks from the inputted stream; and a decoding unit operable to decode the inputted stream on a macroblock basis, and to store a decoding result into said DRAM, wherein a decoding sequence of the macroblocks is changed based on the plural motion vectors so that addresses for accessing said DRAM become successive.

20. Regarding claim 24, Yoshioka (Column 14, lines 17-27, the processor accesses the image in memory once) in view of Candler in view of Mitsuishi (Column 12, lines 6-18, discloses transferring from RAM to registers) and further in view of Callway discloses said data transfer unit is operable to transfer the data from said DRAM to said

Art Unit: 2628

memory when a predetermined number $n1$ of access requests are outputted from said data processing unit.

21. Regarding claim 25, Yoshioka (Column 14, lines 17-27, the processor accesses the image in memory once) in view of Candler in view of Mitsubishi and further in view of Callway (Column 12, lines 42-58, since the area for transfer is a fixed size the value of the fixed sized is inherently stored in a memory) discloses said data transfer unit includes a register which holds the size of the transfer region and the number $n1$.

22. Regarding claim 26, Yoshioka in view of Mitsubishi and further in view of Callway (Column 12, lines 42-58, since the transfer unit is transferring all rectangular areas, there is no regard to whether it is adjacent or overlapping) in view of Candler discloses said data transfer unit is operable to transfer the transfer region which includes all rectangular areas, from said DRAM to said memory when access requests from said data processing unit request the rectangular areas which are adjacent or overlapping.

Conclusion

23. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Hu et al. (US 6,205,181 B1) Interleaved Strip Data Storage System for Video Processing.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PHI HOANG whose telephone number is 571-270-3417. The examiner can normally be reached on Mon-Fri, 8:30am-5:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Xiao Wu can be reached on 571-272-7761. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Phi Hoang/
Examiner, Art Unit 2628
August 14, 2009

/Jin-Cheng Wang/
Primary Examiner, Art Unit 2628